Affordable ABA

Introduction to Autism Spectrum Disorders

1. What percentage of BCBAs work with the autistic population?
A. 96% B. 12% C. 71% D. 55%
2. What version of the DSM was autism first included in?
A. DSM-II B. DSM-III C. DSM-IV D. DSM-V
3. Who coined the term "infantile autism" to reflect children who did not demonstrate social instinct to orient toward others, were overly focused or fixated on particular objects, and had an insistence on sameness, resisting unexpected change
A. Leo Kanner B. Hans Aspergers C. Eugen Bleuler D. BF Skinner
4. Which version of the DSM included diagnostic criteria for several PDDs including autistic disorder and Asperger's disorder?
A. DSM-V B. DSM-I C. DSM-III D. DSM-IV
5. How many autism severity levels are there?
A. 6 B. 3 C. 2 D. 4

6. The term autism is derived from the greek word 'autos which means							
A. Self B. Friend C. Car D. Special							
7. When were severity levels formally classified by the APA							
A. 1980 B. 1994 C. 1943 D. 2013							
8. Which of the autistic severity levels does this most closely align: Without supports in place, deficits in social communication cause noticeable impairments.							
A. level 1 B. level 2 C. level 3 D. None of the above							
9. Severity levels tell us							
A. How high or low functioning an individual is							
B. whether a person has autismC. What level of support a person with autism is likely to needD. How a person developed autism							
10. How is autism diagnosed?							
A. Via an online screening tool B. Via blood tests							
C. Via brain scans							
D. Via diagnostic assessments such as the CARS-2.							
11. What benefit does the MCHAT-R provide?							
A. Diagnoses autism							
B. Identifies risk factors for autismC. Serves as an initial screening tool to identify those who need further testingD. Provides a severity level for an autism diagnosis							

12. Which of the following is not a diagnostic tool used in assessing for autism							
A. ADOS-2							
B. VB-MAPP							
C. RBS-R							
D. Vineland-2							
13. Which ASD assessment tool is used with individuals from birth to 90?							
A. CARS-2							
B. ADOS-2							
C. Vineland-2							
D. RBS-R							
14. Which of the following potential etiologies of autism is currently believed to be of highest likelihood?							
A. Genetics							
B. Vaccinations							
C. Prenatal tylenol use							
D. Premature membrane rupture							
15. Who published a paper in 1998 claiming a link between autism and the MMR vaccine?							
A. Eugen Bleuler							
B. Leo Kanner C. Andrew Wakefield							
D. John B. Watson							
D. Comm D. Wallott							
16. Which of the following is not known as a risk factor for ASD?							
A. Parental age							
B. Gestational diabetes							
C. Prenatal cigarette smoking							
D. Propatal valaroato uso							
D. Prenatal valproate use							
D. Prenatal valproate use 17. Biochemical modifications of DNA which affect gene expression are known as							
17. Biochemical modifications of DNA which affect gene expression are known as A. Relative risks B. Genetic causes							
17. Biochemical modifications of DNA which affect gene expression are known as A. Relative risks B. Genetic causes C. Transcriptome							
17. Biochemical modifications of DNA which affect gene expression are known as A. Relative risks B. Genetic causes							

18. How much more likely are individuals with ASD to experience depression, as compared to neurotypicals?
A. 4x B. 10x C. 2x D. Equal
19. Which ASD severity level is associated with the highest risk for depression?
A. Level 3 B. Level 2 C. Level 1 D. Each are equally as likely
20. Which diagnosis was added to the DSM-V, characterized by severe and recurrent outbursts?
A. Bipolar disorder B. Major depression C. DMDD D. ADHD
21. Which treatment shows the higest level of efficacy for treating the core symptoms of autism?
A. ABA therapy B. Anti-infammatories C. Stimulant medication D. Speech therapy
22. What type of treatment may be used to address comorbid anxiety?
A. Speech therapy B. ABA therapy C. CBT D. OT
23. Which type of treatment may be best able to address language, speech, and swallowing disorders, which are often comorbid in ASD?
A. OT B. Pharmaceuticals C. Speech therapy D. Art therapy

h of the folwith ASD?	lowing benefits	of music thera	py have been i	identified in t	he use of MT	with

- A. Reduction in repetitive behaviors
- B. Adaptive behaviors
- C. Speech development
- D. Social reactions

25. Which category of medications is FDA-approved to treat irritability in autism?

- A. Antidepressants
- B. Antihistamines
- C. Anti-epieptics
- D. Antipsychotics

26. What hormone supplement is commonly given to children with ASD who suffer from insomnia?

- A. Abilify
- B. Melatonin
- C. Fluoxetine
- D. Valproate

27. Post-mortem brain scans have shown similarities in ASD and which other diagnosis?

- A. OCD
- B. Anxiety
- C. Alzheimer's
- D. ADHD

28. What was the estimate rate of autism when first identified?

- A. 1 in 100
- B. 3 in 1,000
- C. 2 to 3 per 10,000
- D. 3 to 7 per 10,000

29. What is the most recent estimated rate of ASD, per the CDC?

- A. 1 in 44
- B. 1 in 88
- C. 1 in 100
- D. 1 in 1000

30. ASD occurs $__$ times more in males than females

A. 2

B. 4

C. 10

D. 20

Copyright © 2025 Affordable ABA

Visit us at https://ce.affordableaba.com